ELSEVIER

Analytica Chimica Acta 314 (1995) 253–255

ANALYTICA CHIMICA ACTA

Author Index

Aaron, J.J.
—, Acedo Valenzuela, M.I., Sanchez Pena, M., Salinas, F. and Mahedero, M.C.
Quantitative analysis of sulfadiazine using photochemically induced fluorescence detection in bulk solution and in a flow injection system 45
Abalos, M., see Cai, Y. 183
Acedo Valenzuela, M.I., see Aaron, J.J. 45
Andrew, K.N.
—, Worsfold, P.J. and Comber, M.
On-line flow injection monitoring of ammonia in industrial liquid effluents 33
Antonov, L.
— and Stoyanov, S.
Resolution of overlapping UV–visible absorption bands: quantitative analysis of tautomeric equilibria 225
Ash, R.B., see Cosofret, V.V. 1

Bangov, I.P.
—, Funatsu, K., Del Carpio, C.A. and Sasaki, S.-i.
Fast calculation of π-electron charge densities in organic molecules: Non-condensed compounds 101
Bayona, J.M., see Cai, Y. 183
Bellinger, D.A., see Cosofret, V.V. 1
Benecke, C.
—, Grund, R., Hohberger, R., Kerber, A., Laue, R. and Wieland, Th.
MOLGEN^{+}, a generator of connectivity isomers and stereoisomers for molecular structure elucidation 141
Bi, S.
A simple model for predicting the pH values of acidic natural waters 111
Birkett, J.W., see Jones, M.N. 149
Bryan, N.D., see Jones, M.N. 149
Buck, R.P., see Cosofret, V.V. 1

Cabañas, M., see Cai, Y. 183
Cai, Y.
—, Cabañas, M., Fernández-Turiel, J.L., Abalos, M. and Bayona, J.M.
On-line preconcentration of selenium(IV) and selenium(VI) in aqueous matrices followed by liquid chromatography–inductively coupled plasma mass spectrometry determination 183
Cepas, J.
—, Silva, M. and Pérez-Bendito, D.
Evaluation of peroxyoxalate chemiluminescence for the sensitive determination of hallucinogenic alkaloids 87
Chen, X.
—, Xu, Y. and Hu, Z.
Effect of solvent properties on the dispersion coefficient in an on-line microwave flow-injection system 213
Collier, N., see Rohwer, H. 219
Comber, M., see Andrew, K.N. 33
Compañó, R.
—, Granados, M., Leal, C. and Prat, M.D.
Liquid chromatographic determination of triphenyltin and tributyltin using fluorimetric detection 175
Cosofret, V.V.
—, Erdosy, M., Johnson, T.A., Bellinger, D.A., Buck, R.P., Ash, R.B. and Neuman, M.R.
Electroanalytical and surface characterization of encapsulated implantable membrane planar microsensors 1
Cuesta Sánchez, F.
—, Toft, J., Kvalheim, O.M. and Massart, D.L.
Eigenstructure tracking analysis for assessment of peak purity in high-performance liquid chromatography with diode array detection 131

Daghbouche, Y.
—, Garrigues, S. and De la Guardia, M.
Solid phase preconcentration–Fourier transform infrared spectrometric determination of carbaryl and 1-naphthol 203
De la Guardia, M., see Daghbouche, Y. 203
Del Carpio, C.A., see Bangov, I.P. 101
Dobrova, N.B., see Ivanchenko, M.I. 23

Erdosy, M., see Cosofret, V.V. 1

Fernández, C.
—, Reviejo, A.J. and Pingarrón, J.M.
Graphite–poly(tetrafluoroethylene) electrodes as electrochemical detectors in flowing systems 13
Fernández-Turiel, J.L., see Cai, Y. 183
Funatsu, K., see Bangov, I.P. 101

Garrigues, S., see Daghbouche, Y. 203
González, A.G.
— and González-Arjona, D.
Statistical assessment of a new criterion for selecting the number of factors in factor analysis 251

González-Arjona, D., see González, A.G. 251
Granados, M., see Compañó, R. 175
Grudpan, K.
—, Sooksamiti, P. and Laiwraungrath, S.
Determination of uranium in tin tailings using 4-(2-pyridylazo)resorcinol by flow-injection analysis 51
Grund, R., see Benecke, C. 141
Guilan, S., see Ru, Y. 95

Hamilton-Taylor, J., see Jones, M.N. 149
Hesketh, N., see Jones, M.N. 149
Hirata, Y., see Mizutani, F. 233
Hohberger, R., see Benecke, C. 141
Hon, P.-K., see Ma, C.-K. 77
Hosten, E., see Rohwer, H. 219
Hu, Z., see Chen, X. 213
Hui, F.
— and Rosset, R.
Isolation of polybutenylsuccinimide-type dispersant from monograde and multigrade lubricating oils by classical liquid-adsorption chromatography on a Florisil column 161

Imasaka, T., see Zhang, S.-X. 193
Ivanchenko, M.I.
—, Kobayashi, H., Kulik, E.A. and Dobrova, N.B.
Studies on polymer solutions, gels and grafted layers using the quartz crystal microbalance technique 23

Jiaomai, P., see Ru, Y. 95
Johnson, T.A., see Cosofret, V.V. 1
Jones, M.N.
—, Birkett, J.W., Wilkinson, A.E., Hesketh, N., Livens, F.R., Bryan, N.D., Lead, J.R., Hamilton-Taylor, J. and Tipping, E.
Experimental determination of partial specific volumes of humic substances in aqueous solutions 149

Kerber, A., see Benecke, C. 141
Kobayashi, H., see Ivanchenko, M.I. 23
Koh, L.L., see Zhou, C.Y. 121
Kulik, E.A., see Ivanchenko, M.I. 23
Kvalheim, O.M., see Cuesta Sánchez, F. 131

Laiwraungrath, S., see Grudpan, K. 51
Laue, R., see Benecke, C. 141
Lead, J.R., see Jones, M.N. 149
Leal, C., see Compañó, R. 175
Liu, Y.-M.
—, Miao, J.-R. and Toyo'oka, T.
Enantiometric separation of di- and tri-peptides with chiral fluorescence labeling reagents by liquid chromatography 169
Livens, F.R., see Jones, M.N. 149
Lu, J., see Tran, C.D. 57

Ma, C.-K.
—, Mok, C.-S. and Hon, P.-K.
Determination of benzhexol hydrochloride and ethambutol hydrochloride tablets by liquid chromatography 77
Mahedero, M.C., see Aaron, J.J. 45

Manninen, P.K.G., see Pantsar-Kallio, M. 67
Massart, D.L., see Cuesta Sánchez, F. 131
Miao, J.-R., see Liu, Y.-M. 169
Mizutani, F.
—, Yabuki, S. and Hirata, Y.
Amperometric L-lactate-sensing electrode based on a polyion complex layer containing lactate oxidase. Application to serum and milk samples 233
Mok, C.-S., see Ma, C.-K. 77
Murachi, S., see Zhang, S.-X. 193

Neuman, M.R., see Cosofret, V.V. 1

Pantsar-Kallio, M.
— and Manninen, P.K.G.
Determination of sodium, potassium, calcium and magnesium cations by capillary electrophoresis compared with ion chromatography 67
Pérez-Bendito, D., see Cepas, J. 87
Pingarrón, J.M., see Fernández, C. 13
Prat, M.D., see Compañó, R. 175

Reviejo, A.J., see Fernández, C. 13
Rohwer, H.
—, Collier, N. and Hosten, E.
Spectrophotometric study of arsenazo III and its interactions with lanthanides 219
Rosset, R., see Hui, F. 161
Ru, Y.
—, Yan, L., Guilan, S., Tao, W. and Jiaomai, P.
Spectrophotometric determination of uranium in natural water with the new chromogenic reagent *p*-carboxychlorophosphonazo 95

Salinas, F., see Aaron, J.J. 45
Sanchez Pena, M., see Aaron, J.J. 45
Sasaki, S.-i., see Bangov, I.P. 101
Silva, M., see Cepas, J. 87
Soares, H.M.V.M.
— and Vasconcelos, M.T.S.D.
Application of potentiometric stripping analysis for speciation of copper complexes with adsorbable ligands on the mercury electrode 241
Sooksamiti, P., see Grudpan, K. 51
Stoyanov, S., see Antonov, L. 225

Tao, W., see Ru, Y. 95
Tipping, E., see Jones, M.N. 149
Toft, J., see Cuesta Sánchez, F. 131
Toyo'oka, T., see Liu, Y.-M. 169
Tran, C.D.
— and Lu, J.
Characterization of the acousto-optic tunable filter for the ultraviolet and visible regions and development of an acousto-optic tunable filter based rapid scanning detector for high-performance liquid chromatography 57

Vasconcelos, M.T.S.D., see Soares, H.M.V.M. 241

Watanabe, M., see Zhang, S.-X. 193
Wee, Y.C., see Zhou, C.Y. 121
Wieland, Th., see Benecke, C. 141
Wilkinson, A.E., see Jones, M.N. 149
Wong, M.K., see Zhou, C.Y. 121
Worsfold, P.J., see Andrew, K.N. 33

Xu, Y., see Chen, X. 213

Yabuki, S., see Mizutani, F. 233
Yan, L., see Ru, Y. 95

Zhang, S.-X.
—, Murachi, S., Imasaka, T. and Watanabe, M.
Determination of rare earth impurities in ultrapure europium oxide by inductively-coupled plasma mass spectrometry 193
Zhou, C.Y.
—, Wong, M.K., Koh, L.L. and Wee, Y.C.
Orthogonal array design for the optimization of closed-vessel microwave digestion parameters for the determination of trace metals in sediments 121